




HUSQVARNA 525HE4

Husqvarna 525HE4 is a 25cc, high reach pole hedge trimmer with a 60cm cutter bar and high knife speed, designed for professional users. With the outstanding reach of up to 4 meters, 37 mm blade pitch and durable 135° angle adjustment you comfortably and efficiently trim all high, wide and low hedges. The engine serves as a counterweight and makes the machine exceptionally well-balanced and comfortable to use. Equipped with heavy-duty gearbox and intuitive controls for easy starting.



Adjustable cutter bar

Adjustable cutting bar for greater versatility and less tiring work.



Smart Start®

The engine and starter have been designed so the machine starts quickly with minimum effort. Resistance in the starter cord is reduced by up to 40%.


X-Torq® engine

The X-Torq® engine design reduces harmful exhaust emissions by up to 75% and increases fuel efficiency by up to 20%.



Long cutter bar

Long cutter bar for extended reach



FEATURES

- X-Torq® engine cuts emission and fuel consumption
- Smart Start® for easy starting
- Adjustable cutter bar for greater versatility
- Extended reach with long cutter bar
- Auto return stop switch for easy starting
- Rear impact guard
- Intuitive controls
- Easy to service and maintain starter
- Cutter bar can be set in transport mode
- Air purge for easier cold starting

Technical Specifications	
CAPACITY	
Clutch engagement speed (± 120)	4700 rpm
Clutch engagement upper limit	5500 rpm
Cutting speed	4300 cut/min
Idling speed	3000 rpm
Idling upper limit	4000 rpm
Knife adjustment range, up/down Down	90°
Knife adjustment range, up/down Up	45°
Maximum power speed	8500 rpm
Power output	1 kW
Racing speed lower limit	10000 rpm
Teeth opening	30 mm
Torque, max.	1.2 Nm
Torque, max. at rpm	6000 rpm
DIMENSIONS	
Article gross weight	7810 g
Article net weight	7000 g
Knife Length	60 cm
Weight	6.3 kg
ENGINE	
Cylinder bore	34 mm
Cylinder displacement	25.4 cm ³
Cylinder stroke	28 mm
Engine Family CARB	HQZS.0254HD
Engine Family EPA	HQZS.0254HD
Gear ratio	1
Spark plug	Husqvarna HQT-2
LUBRICANTS	
Fuel consumption	600 g/kWh
Fuel consumption	0.6 kg/h
Fuel tank volume	0.5 l
Lubricant type	Husqvarna 2 stroke or equiv. at 50:1
Power/fuel type	Gasoline
PACKAGING	
Packaging height	280 mm
Packaging length	1850 mm
Packaging width	290 mm
Quantity in Master pack	1
EMISSION DATA CARB	
Engine Family EPA	HQZS.0254HD
Engine Family CARB	HQZS.0254HD
Exhaust emissions (CO average)	254.31 g/kWh
Exhaust emissions (CO average)	1120 g/kWh
Exhaust emissions (HC average)	32.47 g/kWh
Exhaust emissions (NOx average)	0.2 g/kWh
EMISSION DATA EPA	
Exhaust emissions (CO average)	254.31 g/kWh
Exhaust emissions (CO FEL)	536 g/kWh
Exhaust emissions (CO average)	1120 g/kWh
Exhaust emissions (HC average)	32.47 g/kWh
Exhaust emissions (NOx average)	0.2 g/kWh
EMISSION DATA EU	
Exhaust emissions (CO average)	418 g/kWh
Exhaust emissions (CO average)	1141 g/kWh
Exhaust emissions (CO2 EU V)	1141 g/kWh
Exhaust emissions (HC average)	29.55 g/kWh
Exhaust emissions (NOx average)	0.31 g/kWh
SOUND AND NOISE	
Sound power level, guaranteed (LWA)	107 dB(A)
Sound power level, measured	106 dB(A)
Sound pressure level at operators ear	95 dB(A)
VIBRATIONS	
Daily Vibration (Aeqv)	4.6 m/s ²
Daily Vibration Exposure (A8)	3.0 m/s ²
Daily Vibration Time (Time factor)	3.5 h
Equivalent vibration level (ahv, eq) front handle	4.6 m/s ²
Equivalent vibration level (ahv, eq) rear handle	3.9 m/s ²

ACCESSORIES



HEARING PROTECTION WITH FM
RADIO
578 27 49-03



HEARING PROTECTION
505 66 53-04



X-COM R
595 08 40-01



PROTECTIVE GLASSES, CLEAR X
544 96 37-01



PROTECTIVE GLASSES, SUN X
544 96 37-03



PROTECTIVE GLASSES, YELLOW X
544 96 37-02



PROTECTIVE GLASSES, GOGGLES
544 96 39-01



BRUSHCUTTING- AND TRIMMER
JACKET, TECHNICAL
580 68 82-46



BRUSHCUTTING- AND TRIMMER
JACKET, TECHNICAL
580 68 82-50



BRUSHCUTTING- AND TRIMMER
JACKET, TECHNICAL
580 68 82-54



BRUSHCUTTING- AND TRIMMER
JACKET, TECHNICAL
580 68 82-58



BRUSHCUTTING- AND TRIMMER
JACKET, TECHNICAL
580 68 82-62



BRUSHCUTTING- AND TRIMMER
TROUSERS, TECHNICAL
580 68 81-46



BRUSHCUTTING- AND TRIMMER
TROUSERS, TECHNICAL
580 68 81-48



BRUSHCUTTING- AND TRIMMER
TROUSERS, TECHNICAL
580 68 81-50



BRUSHCUTTING- AND TRIMMER
TROUSERS, TECHNICAL
580 68 81-52



BRUSHCUTTING- AND TRIMMER TROUSERS, TECHNICAL
580 68 81-54



BRUSHCUTTING- AND TRIMMER TROUSERS, TECHNICAL
580 68 81-56



BRUSHCUTTING- AND TRIMMER TROUSERS, TECHNICAL
580 68 81-58



BRUSHCUTTING- AND TRIMMER TROUSERS, TECHNICAL
580 68 81-60



BRUSHCUTTING- AND TRIMMER JACKET, HIGH VIZ
597 24 59-46



BRUSHCUTTING- AND TRIMMER JACKET, HIGH VIZ
597 24 59-50



BRUSHCUTTING- AND TRIMMER JACKET, HIGH VIZ
597 24 59-58



BRUSHCUTTING- AND TRIMMER JACKET, HIGH VIZ
597 24 59-62



BRUSHCUTTING- AND TRIMMER TROUSERS, HIGH VIZ
597 24 62-46



BRUSHCUTTING- AND TRIMMER TROUSERS, HIGH VIZ
597 24 62-48



BRUSHCUTTING- AND TRIMMER TROUSERS, HIGH VIZ
597 24 62-50



BRUSHCUTTING- AND TRIMMER TROUSERS, HIGH VIZ
597 24 62-54



BRUSHCUTTING- AND TRIMMER TROUSERS, HIGH VIZ
597 24 62-58



BRUSHCUTTING- AND TRIMMER TROUSERS, HIGH VIZ
597 24 62-60



WORK T-SHIRT LONG SLEEVE, TECHNICAL
501 72 03-46



WORK T-SHIRT LONG SLEEVE, TECHNICAL
501 72 03-50



WORK T-SHIRT LONG SLEEVE,
TECHNICAL
501 72 03-54



WORK T-SHIRT LONG SLEEVE,
TECHNICAL
501 72 03-58



WORK T-SHIRT LONG SLEEVE,
TECHNICAL
501 72 03-62



WORK T-SHIRT LONG SLEEVE,
TECHNICAL
501 72 03-66



WORK T-SHIRT SHORT SLEEVE,
TECHNICAL
501 71 59-46



WORK T-SHIRT SHORT SLEEVE,
TECHNICAL
501 71 59-50



WORK T-SHIRT SHORT SLEEVE,
TECHNICAL
501 71 59-54



WORK T-SHIRT SHORT SLEEVE,
TECHNICAL
501 71 59-58



WORK T-SHIRT SHORT SLEEVE,
TECHNICAL
501 71 59-62



WORK T-SHIRT SHORT SLEEVE,
TECHNICAL
501 71 59-66



WORK T-SHIRT HIGH VIZ,
TECHNICAL
501 72 05-46



WORK T-SHIRT HIGH VIZ,
TECHNICAL
501 72 05-50



WORK T-SHIRT HIGH VIZ,
TECHNICAL
501 72 05-54



WORK T-SHIRT HIGH VIZ,
TECHNICAL
501 72 05-58



WORK T-SHIRT HIGH VIZ,
TECHNICAL
501 72 05-62



WORK T-SHIRT HIGH VIZ,
TECHNICAL
501 72 05-66



GLOVES, CLASSIC LIGHT
579 38 00-06



GLOVES, CLASSIC LIGHT
579 38 00-07



GLOVES, CLASSIC LIGHT
579 38 00-08



GLOVES, CLASSIC LIGHT
579 38 00-09



GLOVES, CLASSIC LIGHT
579 38 00-10



GLOVES, TECHNICAL LIGHT
579 38 06-08



GLOVES, TECHNICAL LIGHT
579 38 06-09



GLOVES, TECHNICAL LIGHT
579 38 06-10



PROTECTIVE BOOTS TECHNICAL
575 35 47-36



PROTECTIVE BOOTS TECHNICAL
575 35 47-37



PROTECTIVE BOOTS TECHNICAL
575 35 47-38



PROTECTIVE BOOTS TECHNICAL
575 35 47-39



PROTECTIVE BOOTS TECHNICAL
575 35 47-40



PROTECTIVE BOOTS TECHNICAL
575 35 47-41



PROTECTIVE BOOTS TECHNICAL
575 35 47-42



PROTECTIVE BOOTS TECHNICAL
575 35 47-43



PROTECTIVE BOOTS TECHNICAL
575 35 47-44



PROTECTIVE BOOTS TECHNICAL
575 35 47-45



PROTECTIVE BOOTS TECHNICAL
575 35 47-46



PROTECTIVE BOOTS TECHNICAL
575 35 47-47



HUSQVARNA XP POWER 2T
581 48 33-01



HUSQVARNA XP POWER 2T
582 20 20-03



HUSQVARNA XP POWER 2T
582 20 20-13




HUSQVARNA XP POWER 2T
583 95 29-01



HUSQVARNA XP POWER 2T
583 95 29-02



HUSQVARNA XP POWER 2T
583 95 29-03



HUSQVARNA XP POWER 2T
583 95 29-04



HUSQVARNA XP POWER 2T
589 22 76-01



HUSQVARNA XP POWER 2T
589 22 76-10



HUSQVARNA XP® RE-POWER 2T
597 66 99-01



PETROL CAN 6 LITRES, ORANGE
505 69 80-01



TWO STROKE OIL, LS+
578 03 70-02



TWO STROKE OIL, LS+
578 03 71-02

TWO STROKE OIL, LS+
578 18 00-02

TWO STROKE OIL, LS+
578 18 03-02



TWO STROKE OIL, LS+
578 18 04-02



TWO STROKE OIL, XP®
SYNTHETIC
578 03 70-03



TWO STROKE OIL, XP®
SYNTHETIC
578 03 71-03



TWO STROKE OIL, XP®
SYNTHETIC
578 18 00-03



TWO STROKE OIL, XP®
SYNTHETIC
578 18 03-03



TWO STROKE OIL, XP®
SYNTHETIC
578 18 04-03



MULTI ADVANCED GREASE
588 81 48-01



UL 21
544 14 21-01



UL 21
544 14 21-02



ACTIVE CLEAN SPRAY
597 25 57-01