



HUSQVARNA 340iBT

Experience outdoor cleaning work with impressively low levels of noise and vibrations with this powerful and well-balanced backpack battery blower. The blower provides an impressive blowforce of 17N and features an intuitive user interface as well as two slots for BLi batteries with auto-switch that keeps you going until the work is done.



Two battery slots


Two battery slots secure long runtime. Auto switch function and individually interchangeable batteries secures continuously work.

Blowing capacity

High blow force with 17 N. Equivalent blow force as petrol 40cc backpack blower.

Brushless motor

High torque to weight ratio for increased efficiency, increased reliability, reduced noise and longer product-life.



Intuitive key pad

Handle with new intuitive user interface. Size of buttons adapted for easy maneuvering even with gloves.

FEATURES

- High torque to weight ratio for increased efficiency and reliability.
- High blow force with 17 N.
- Two battery slots secure long runtime.
- Handle with new intuitive user interface. Size of buttons adapted for easy maneuvering even with gloves.
- Low noise levels enable longer working hours and the possibility to work mornings and evenings without disturbing your neighbors.
- Low maintenance
- Li-ion power, long lasting power and top class performance.
- Allows you to quickly switch the same battery between different product applications and keep working.

Technical specifications	
BATTERY	
Battery	No
Battery type	Li-Ion
Battery voltage	36 V
Number of batteries included	--
CAPACITY	
Air flow in pipe	11.5 m ³ /min
Air flow in pipe, boost mode	13.7 m ³ /min
Air speed	52 m/s
Air speed, boost mode	61 m/s
Air speed (round nozzle)	52 m/s
Blowing Force	12 N
Blowing Force, boost mode	17 N
DIMENSIONS	
Article gross weight	8065 g
Article net weight	6030 g
Product size height	60 cm
Product size length	140 cm
Product size width	55 cm
Tube diameter	69 mm
Tube length	420 mm
Weight without battery	6.3 kg
ENGINE	
Motor type	BLDC (brushless)
PACKAGING	
Packaging height	320 mm
Packaging length	795 mm
Packaging width	595 mm
Quantity in Master pack	1
LUBRICANTS	
Power source	Battery
Power/fuel type	Battery
SOUND AND NOISE	
Sound power level, guaranteed (LWA)	94 dB(A)
Sound power level, guaranteed (LWA), boost mode	97 dB(A)
Sound power level, measured	93 dB(A)
Sound power level, measured, boost mode	95 dB(A)
Sound pressure (15m)	62 dB(A)
Sound pressure level at operators ear	78 dB(A)
Sound pressure level at operators ear, boost mode	79 dB(A)
VIBRATIONS	
Daily Vibration Exposure (A8)	0.06 m/s ²
Daily Vibration Time (Time factor)	3 h
Equivalent vibration level (ahv, eq) rear handle	0.1 m/s ²
Equivalent vibration level (ahv, eq) rear handle, boost mode	0.1 m/s ²

ACCESSORIES



SUPPORT HANDLE BAR FOR
570BTS OCH 580BTS
544 40 00-04



576 58 17-01



576 58 18-01



FLAT NOZZLE 570BTS, 580BTS,
570BFS, 580BFS
576 58 27-01



NOZZLE
579 79 75-01

ACTIVE CLEAN SPRAY
597 25 57-01



HEARING PROTECTION
505 66 53-04



HEARING PROTECTION WITH FM
RADIO
578 27 49-03



X-COM R
595 08 40-01



PROTECTIVE GLASSES, CLEAR X
544 96 37-01



PROTECTIVE BOOTS TECHNICAL
575 35 47-36



PROTECTIVE BOOTS TECHNICAL
575 35 47-37



PROTECTIVE BOOTS TECHNICAL
575 35 47-38



PROTECTIVE BOOTS TECHNICAL
575 35 47-39



PROTECTIVE BOOTS TECHNICAL
575 35 47-40



PROTECTIVE BOOTS TECHNICAL
575 35 47-41



PROTECTIVE BOOTS TECHNICAL
575 35 47-42



PROTECTIVE BOOTS TECHNICAL
575 35 47-43



PROTECTIVE BOOTS TECHNICAL
575 35 47-44



PROTECTIVE BOOTS TECHNICAL
575 35 47-45



PROTECTIVE BOOTS TECHNICAL
575 35 47-46



PROTECTIVE BOOTS TECHNICAL
575 35 47-47



HUSQVARNA BATTERY BLI100
967 09 18-01



HUSQVARNA BATTERY BLI100
967 96 39-01



HUSQVARNA BATTERY BLI200
967 09 19-01



HUSQVARNA BATTERY BLI200
967 96 41-01



HUSQVARNA CHARGER QC250
967 97 01-01



HUSQVARNA CHARGER QC250
967 97 01-02



HUSQVARNA CHARGER QC250
967 97 01-03



HUSQVARNA CHARGER QC250
967 97 01-04



HUSQVARNA CHARGER QC250
967 97 01-05



HUSQVARNA BATTERY BLI20
967 09 17-01



HUSQVARNA BATTERY BLI20
967 96 38-01



HUSQVARNA CHARGER QC80
967 33 56-31



HUSQVARNA CHARGER QC80
967 33 56-41



HUSQVARNA CHARGER QC80
967 33 56-51



HUSQVARNA CHARGER QC80
967 33 56-61



HUSQVARNA BATTERY CHARGER
967 33 56-71



HUSQVARNA CHARGER QC80
967 96 47-01



HUSQVARNA BATTERY BLI10
967 09 16-01



HUSQVARNA BATTERY BLI300
967 07 19-01



HUSQVARNA BATTERY BLI300
967 96 43-01



HUSQVARNA BATTERY BLI30
967 93 77-01



HUSQVARNA BATTERY BLI30
967 93 77-02