



HUSQVARNA 550iBTX

Powerful, well-balanced and ergonomic backpack battery blower with impressive blow force (21N) for professional use. Its class leading power, low vibrations and noise levels allow you to work in public settings, even in noise restricted areas. The blower is IPX4 weatherproof and features continuous boost mode and cruise control as well as an intuitive key pad with battery status and running modes directly on the handle.



Intuitive key pad


Handle with new intuitive user interface. Size of buttons adapted for easy maneuvering even with gloves. The battery bar on the keypad shows the battery status, helps you to plan your work based on the remaining runtime.

Blowing capacity

The impressive 21 N blow force raises the battery blowers to the next level in terms of performance. The blow force is equal to that of a petrol 50cc backpack blower.

Brushless motor

High torque to weight ratio for increased efficiency, increased reliability, reduced noise and longer product-life.



Boost mode

Easily accessible Boost mode gives you unlimited maximized blow force when needed.

FEATURES

- High torque to weight ratio for increased efficiency and reliability.
- The impressive 21 N blow force raises the battery blowers to the next level in terms of performance.
- Handle with new intuitive user interface. Buttons adapted for easy maneuvering even with gloves and the battery bar on the keypad shows the battery status.
- Easily accessible Boost mode gives you unlimited maximized blow force when needed.
- Set the exact blow force you require to get your job done - easily engaged with the side button.
- A sleeve covers the cable between the handle and the blower.
- Li-ion power, long lasting power and top class performance.
- The low noise levels make longer working hours, as well as working in noise sensitive and restricted areas, possible.
- Low maintenance

Technical specifications	
CAPACITY	
Air flow in pipe	12.8 m ³ /min
Air speed	54 m/s
DIMENSIONS	
Article net weight	8725 g
Product size height	68 cm
Product size length	145 cm
Tube length	414 mm
Weight without battery	6.3 kg
SOUND AND NOISE	
Sound power level, guaranteed (LWA)	94 dB(A)
Sound power level, measured	93 dB(A)
Sound pressure level at operators ear	73 dB(A)
Packaging height	320 mm
Packaging length	795 mm
Packaging width	595 mm

ACCESSORIES



NOZZLE
579 79 75-01



HUSQVARNA CHARGER QC330
967 09 14-01



HUSQVARNA BLI550X
967 09 31-01



HUSQVARNA CHARGER QC330
967 09 14-05



HUSQVARNA CHARGER QC500
967 09 15-02



HUSQVARNA CHARGER QC330
967 09 14-03



HUSQVARNA CHARGER QC500
967 09 15-04



SUPPORT HANDLE BAR FOR
570BTS OCH 580BTS
544 40 00-04



HUSQVARNA CHARGER QC330
967 09 14-02



576 58 18-01

HUSQVARNA CHARGER QC500
967 09 15-01



HUSQVARNA Bli950X
967 09 32-01



HUSQVARNA CHARGER QC500
967 09 15-03

HUSQVARNA CHARGER QC330
967 09 14-06

HUSQVARNA CHARGER QC500
967 09 15-05



HUSQVARNA CHARGER QC330
967 09 14-04