



HUSQVARNA T540i XP

Husqvarna T540i XP is our most powerful battery-powered top-handle chainsaw, equivalent to a 40cc pro petrol saw when fitted with a BLi200X battery. This saw is the ideal tool for all professional tree care. Designed for arborists who want a smooth, high performance chainsaw. Features excellent ergonomics, high chain speed, low weight and all the benefits of battery power, without compromising cutting performance. The integrated connectivity makes it easy to keep track of usage stats, service history and last known location in the Husqvarna Fleet Services™ app.



Unobstructed view

The hand guard design allows for an unobstructed view while doing precise cuts.



High chain speed

High chain speed for fast, smooth cutting

Husqvarna Connect

With the smart Husqvarna Connect app, you'll have easy access to helpful tips, manuals and spare part recommendations. For your connected Bluetooth equipment, the app also provides additional information such as runtime and charging status as well as maintenance and service needs. The app can be downloaded, free of charge, from App Store or Google Play. Not yet available on all markets.



Rope attachment

A sturdy point for fastening a rope, making it easy to hoist the saw up into a tree.




FEATURES

- With the smart Husqvarna Connect app, you'll have easy access to tips, manuals and spare part recommendations. The app also provides additional information such as runtime and charging status as well as maintenance and service needs. Not yet available on all markets.
- High chain speed
- Unobstructed view
- Rope eyelet in rear handle
- Weatherproof (IPX4) - Use in all weather conditions
- Quick connection to the climbing harness
- The key pad is very easy to operate.
- Gear up for nonstop operation
- Allows you to quickly switch the same battery between different product applications and keep working.
- Choose savE™ mode for maximum runtime
- The retaining function prevents losing the bar nuts.
- In-house developed brushless motor provides a high and consistent torque.
- The flip-up tank cap is easy to open.
- Increased safety, inertia activated chain brake


Technical specifications

BATTERY	
Battery type	Li-Ion
Battery voltage	36 V
CAPACITY	
Chain speed at max power	24 m/s
DIMENSIONS	
Article gross weight	4105 g
Article net weight	3510 g
Bar length (inch)	14"
Product size height	23.5 cm
Product size length	30.5 cm
Product size width	20 cm
Recommended bar length, max	40 cm
Recommended bar length, min	30 cm
Size	14"
Weight (excl. battery and cutting equipment)	2.5 kg
ENGINE	
Motor type	BLDC (brushless)
EQUIPMENT	
Bar mount	Small
Bar mount type	Small
Chain type	SP21G
Chainsaw sub-group	Tree-care saws
Gauge	1.1 mm
Pitch	.325" mini
Sprocket type	Spur 7
LUBRICANTS	
Oil pump capacity Max	19 ml/min
Oil pump capacity Min	9 ml/min
Oil pump type	Adjustable flow
Oil tank volume	0.2 l
Power source	Battery
Power/fuel type	Battery
SOUND AND NOISE	
Sound power level, guaranteed (LWA)	103 dB(A)
Sound power level, measured	101 dB(A)
Sound pressure level at operators ear	92 dB(A)
VIBRATIONS	
Daily Vibration (Aeqv)	3.4 m/s ²
Daily Vibration Exposure (A8)	1.9 m/s ²
Daily Vibration Time (Time factor)	2.4 h
Equivalent vibration level (ahv, eq) front handle	2.1 m/s ²
Equivalent vibration level (ahv, eq) rear handle	3.4 m/s ²
PACKAGING	
Packaging height	258 mm
Packaging length	490 mm
Packaging width	280 mm
Quantity in Master pack	1


ACCESSORIES



X-PRECISION LAMINATED BAR .325" MINI PIXEL 1.1MM SMALL BAR MOUNT
593 91 43-51



X-PRECISION LAMINATED BAR .325" MINI PIXEL 1.1MM SMALL BAR MOUNT
593 91 43-59



X-PRECISION LAMINATED BAR .325" MINI PIXEL 1.1MM SMALL BAR MOUNT
593 91 43-64



SAW CHAIN X-CUT SP21G SEMI CHISEL PIXEL .325" MINI 1.1 MM
593 91 41-51



SAW CHAIN X-CUT SP21G SEMI CHISEL PIXEL .325" MINI 1.1 MM
593 91 41-59



SAW CHAIN X-CUT SP21G SEMI CHISEL PIXEL .325" MINI 1.1 MM
593 91 41-64

MINERAL CHAIN OIL
579 39 60-01

MINERAL CHAIN OIL
579 39 61-01



MINERAL CHAIN OIL
579 39 62-01

MINERAL CHAIN OIL
579 39 63-01



HUSQVARNA BEARING GREASE
503 62 12-01



CHAIN SAW HOOK
580 80 03-01



THROWLINE CUBE
596 93 60-11



PROTECTIVE LEATHER BOOTS WITH SAW PROTECTION TECHNICAL 24M/SSAW PROTECTION TECHNICAL 24M/SSAW
578 78 56-36



PROTECTIVE LEATHER BOOTS WITH SAW PROTECTION TECHNICAL 24M/SSAW PROTECTION TECHNICAL 24M/SSAW
578 78 56-37



PROTECTIVE LEATHER BOOTS WITH SAW PROTECTION TECHNICAL 24M/SSAW PROTECTION TECHNICAL 24M/SSAW
578 78 56-38



PROTECTIVE LEATHER BOOTS WITH
SAW PROTECTION TECHNICAL 24M/SSAW PROTECTION TECHNICAL 24M/S
578 78 56-39



PROTECTIVE LEATHER BOOTS WITH
SAW PROTECTION TECHNICAL 24M/SSAW PROTECTION TECHNICAL 24M/S
578 78 56-40



PROTECTIVE LEATHER BOOTS WITH
SAW PROTECTION TECHNICAL 24M/SSAW PROTECTION TECHNICAL 24M/S
578 78 56-41



PROTECTIVE LEATHER BOOTS WITH
SAW PROTECTION TECHNICAL 24M/SSAW PROTECTION TECHNICAL 24M/S
578 78 56-42



PROTECTIVE LEATHER BOOTS WITH
SAW PROTECTION TECHNICAL 24M/SSAW PROTECTION TECHNICAL 24M/S
578 78 56-43



PROTECTIVE LEATHER BOOTS WITH
SAW PROTECTION TECHNICAL 24M/SSAW PROTECTION TECHNICAL 24M/S
578 78 56-44



PROTECTIVE LEATHER BOOTS WITH
SAW PROTECTION TECHNICAL 24M/SSAW PROTECTION TECHNICAL 24M/S
578 78 56-45



PROTECTIVE LEATHER BOOTS WITH
SAW PROTECTION TECHNICAL 24M/SSAW PROTECTION TECHNICAL 24M/S
578 78 56-46



PROTECTIVE LEATHER BOOTS WITH
SAW PROTECTION TECHNICAL 24M/SSAW PROTECTION TECHNICAL 24M/S
578 78 56-47



PROTECTIVE LEATHER BOOTS WITH
SAW PROTECTION TECHNICAL 24M/SSAW PROTECTION TECHNICAL 24M/S
578 78 56-48



PROTECTIVE GLASSES, CLEAR X
544 96 37-01



THROW WEIGHT - 14OZ
596 93 58-11



THROW WEIGHT - 12 OZ
596 93 58-12



THROW WEIGHT - 10OZ
596 93 58-13



THROW WEIGHT - 8 OZ
596 93 58-14



HUSQVARNA X-GUARD BIO CHAIN
OIL
596 45 73-01



HUSQVARNA X-GUARD BIO CHAIN OIL
596 45 73-02



HUSQVARNA X-GUARD BIO CHAIN OIL
596 45 73-03



HUSQVARNA X-GUARD BIO CHAIN OIL
596 45 73-04



ARBORIST HELMET, SPIRE VENT
597 68 18-01



ACTIVE CLEAN SPRAY
597 25 57-01



CHAIN SAW HOOK
577 43 79-01



FOREST JACKET, TECHNICAL
582 33 21-46



FOREST JACKET, TECHNICAL
582 33 21-50



FOREST JACKET, TECHNICAL
582 33 21-54



FOREST JACKET, TECHNICAL
582 33 21-58



FOREST JACKET, TECHNICAL
582 33 21-62



FOREST JACKET VENT, TECHNICAL
582 33 43-46



FOREST JACKET VENT, TECHNICAL
582 33 43-50



FOREST JACKET VENT, TECHNICAL
582 33 43-54



FOREST JACKET VENT, TECHNICAL
582 33 43-58



FOREST JACKET VENT, TECHNICAL
582 33 43-62



EYELET
578 07 71-01



WORK T-SHIRT LONG SLEEVE,
TECHNICAL
501 72 03-46



WORK T-SHIRT LONG SLEEVE,
TECHNICAL
501 72 03-50



WORK T-SHIRT LONG SLEEVE,
TECHNICAL
501 72 03-54



WORK T-SHIRT LONG SLEEVE,
TECHNICAL
501 72 03-58



WORK T-SHIRT LONG SLEEVE,
TECHNICAL
501 72 03-62



WORK T-SHIRT LONG SLEEVE,
TECHNICAL
501 72 03-66



OVAL CARABINER
596 93 62-11



D' CARABINER
596 93 62-12



HMS CARABINER
596 93 62-13



ARBORIST HELMET, TECHNICAL
578 09 23-01



FOREST JACKET, TECHNICAL
EXTREME
582 33 10-46



FOREST JACKET, TECHNICAL
EXTREME
582 33 10-50



FOREST JACKET, TECHNICAL
EXTREME
582 33 10-54



FOREST JACKET, TECHNICAL
EXTREME
582 33 10-58



FOREST JACKET, TECHNICAL
EXTREME
582 33 10-62



CHAIN SAW STROP
577 43 80-01



GLOVES, FUNCTIONAL WITH SAW
PROTECTION
579 38 02-07



GLOVES, FUNCTIONAL WITH SAW
PROTECTION
579 38 02-08



GLOVES, FUNCTIONAL WITH SAW
PROTECTION
579 38 02-09



GLOVES, FUNCTIONAL WITH SAW
PROTECTION
579 38 02-10



GLOVES, FUNCTIONAL WITH SAW
PROTECTION
579 38 02-12



WAIST TROUSERS, TECHNICAL
EXTREME
582 34 08-42



WAIST TROUSERS, TECHNICAL
EXTREME
582 34 08-46



WAIST TROUSERS, TECHNICAL
EXTREME
582 34 08-50



WAIST TROUSERS, TECHNICAL
EXTREME
582 34 08-51



WAIST TROUSERS, TECHNICAL
EXTREME
582 34 08-54



WAIST TROUSERS, TECHNICAL
EXTREME
582 34 08-55



WAIST TROUSERS, TECHNICAL
EXTREME
582 34 08-58



WAIST TROUSERS, TECHNICAL
EXTREME
582 34 08-59



WAIST TROUSERS, TECHNICAL
EXTREME
582 34 08-62



GLOVES, TECHNICAL WITH SAW
PROTECTION
579 38 10-08



GLOVES, TECHNICAL WITH SAW PROTECTION
579 38 10-09



GLOVES, TECHNICAL WITH SAW PROTECTION
579 38 10-10



ARBOR WAIST TROUSERS, TECHNICAL EXTREME
595 21 77-46



ARBOR WAIST TROUSERS, TECHNICAL EXTREME
595 21 77-50



ARBOR WAIST TROUSERS, TECHNICAL EXTREME
595 21 77-54



ARBOR WAIST TROUSERS, TECHNICAL EXTREME
595 21 77-58



FOREST JACKET, TECHNICAL EXTREME WOMEN
582 34 07-42



FOREST JACKET, TECHNICAL EXTREME WOMEN
582 34 07-46



FOREST JACKET, TECHNICAL EXTREME WOMEN
582 34 07-50



WAIST TROUSERS, TECHNICAL
582 33 35-45



WAIST TROUSERS, TECHNICAL
582 33 35-46



WAIST TROUSERS, TECHNICAL
582 33 35-47



WAIST TROUSERS, TECHNICAL
582 33 35-49



WAIST TROUSERS, TECHNICAL
582 33 35-50



WAIST TROUSERS, TECHNICAL
582 33 35-51



WAIST TROUSERS, TECHNICAL
582 33 35-53



WAIST TROUSERS, TECHNICAL
582 33 35-54



WAIST TROUSERS, TECHNICAL
582 33 35-55



WAIST TROUSERS, TECHNICAL
582 33 35-57



WAIST TROUSERS, TECHNICAL
582 33 35-58



WAIST TROUSERS, TECHNICAL
582 33 35-59



WAIST TROUSERS, TECHNICAL
582 33 35-61



WAIST TROUSERS, TECHNICAL
582 33 35-62



PROTECTIVE GLASSES, GOGGLES
544 96 39-01



WORK T-SHIRT SHORT SLEEVE,
TECHNICAL
501 71 59-46



WORK T-SHIRT SHORT SLEEVE,
TECHNICAL
501 71 59-50



WORK T-SHIRT SHORT SLEEVE,
TECHNICAL
501 71 59-54



WORK T-SHIRT SHORT SLEEVE,
TECHNICAL
501 71 59-58



WORK T-SHIRT SHORT SLEEVE,
TECHNICAL
501 71 59-62



WORK T-SHIRT SHORT SLEEVE,
TECHNICAL
501 71 59-66



PROTECTIVE GLASSES, SUN X
544 96 37-03



FOREST JACKET, TECHNICAL
ARBOR
582 33 22-46



FOREST JACKET, TECHNICAL
ARBOR
582 33 22-50



FOREST JACKET, TECHNICAL
ARBOR
582 33 22-54



FOREST JACKET, TECHNICAL
ARBOR
582 33 22-58



ROPE BAG
596 93 63-11



PROTECTIVE GLASSES, YELLOW X
544 96 37-02