

CONCRETE CORE DRILLS

Husqvarna DMS 240

**RATED INPUT POWER**

2.4 kW

WEIGHT

20.4 kg

DRILL BIT DIAMETER, MAX

250 mm

TRAVEL LENGTH, MAX

685 mm

DRILL MOTOR DMS 240 220-240 V | 1-ph | 50 Hz | EU
Art nr: 965 17 36-03

DMS 240 is an electric drill motor and stand system for a huge variety of core drilling applications. It is the most powerful system in our drill motor stand range. An ideal system for medium core drilling in walls, floors and roofs up to 250 mm diameter. The stand is easy to tilt, the back support provides reliable and stable angle drilling, saving you setup time and body stress. This system can be used for drilling ventilation and plumbing channels, waste evacuation pipes as well as barrier and road signs.

OPTIMUM CRANKING SPEED

Carriage with single and double gearing for...



USER-FRIENDLY BASE PLATE

Lightweight base plate made of aluminium with...



OVERLOAD PROTECTION

Increases productivity and extends service life.



ANGLE DRILLING




Drilling holes in stepless adjustable angles.

BARRIERS

Drilling for installation of stair rails, fences, etc.


CHANNELS, PIPES AND CABLES

Drilling ventilation channels and holes for...




STITCH DRILLING

Drilling multiple holes next to each other to make...



WATER EVACUATION

Drilling for water evacuation.



ALL SPECIFICATIONS

DMS 240

DMS 240 220-240 V | 1-PH | 50 HZ | EU

965 17 36-03

MOTOR

Rated input power	2.4 kW
Rated current	10 A
Frequency	50 Hz
Voltage	220-240 V
Phases	1 ph
Power source	Corded

DRILLING EQUIPMENT

Recommended drill bit diameter, min	0 mm
Drill bit diameter, max	250 mm
Coolant	Wet

TRANSMISSION

Number of gearbox speeds	2
--------------------------	---

SPECIFICATIONS

Water connector	G 1 / 4"
Water pressure, max	8 bar
Spindle thread, inner	G 1/2"
Spindle thread, outer	1 1/4" 7 UNC
Column's angling	0-60°
Column installation	Tilttable

DIMENSIONS

Weight	20.4 kg
Product size length	545 mm
Product size width	266 mm
Product size height	1,052 mm

SOUND AND NOISE

ALL SPECIFICATIONS
DMS 240

DMS 240 220-240 V | 1-PH | 50 HZ | EU
965 17 36-03

Sound power level, guaranteed (LWA)	107 dB(A)
Sound power level, measured	106 dB(A)
Sound pressure level at operators ear	90 dB(A)

DIAMOND TOOLS

GOLD



DIAMOND CORE
DRILL BITS
**ELITE-DRILL
D1405**

42 variants

Diameter mm

52 – 350 mm

Drill connection

1 1/4" / CR128

Core length mm

500 mm

Coolant

Wet

GOLD



DIAMOND CORE
DRILL BITS
**ELITE-DRILL
D1510 Z-EDGE**

37 variants

Diameter mm

82 – 350 mm

Drill connection

1 1/4" / CR128

Core length mm

500 mm

Coolant

Wet

GOLD



DIAMOND CORE
DRILL BITS
**ELITE-DRILL
D1420**

71 variants

Diameter mm

16 – 350 mm

Drill connection

1 1/4" / CR128

Core length mm

500 mm

Coolant

Wet

SILVER



DIAMOND CORE
DRILL BITS
**VARI-DRILL
D20**

34 variants

Diameter mm

18 – 300 mm

Drill connection

1 1/4" / 1 1/4"-7

Core length mm

450 mm

Coolant

Wet /dry

SILVER



DIAMOND CORE
DRILL BITS
**VARI-DRILL
D65**

18 variants

Diameter mm

52 – 300 mm

Drill connection

1 1/4"

Core length mm

450 mm

Coolant

Wet /dry

BRONZE



DIAMOND CORE
DRILL BITS
**TACTI-DRILL
D20**

15 variants

Diameter mm

52 – 300 mm

Drill connection

1 1/4"

Core length mm

450 mm

Coolant

Wet /dry

SILVER



DIAMOND CORE
DRILL BITS
**VARI-DRILL
D810**

26 variants

Diameter mm

10 – 131 mm

Drill connection

1/2"

Core length mm

150 / 250 / 350 mm

Coolant

Wet /dry

RELATED PRODUCTS AND ACCESSORIES

NEW



BATTERY POWERED PRODUCTS

WT 15i

3 variants

Battery eco system

BLi-X

Water pressure, max

0.9 bar

Water tank capacity

15 l

Hose length

3 m

NEW



WATER TANKS WT 10MP

Water tank capacity

10 l

Weight

2.35 kg

ATTACHMENTS VP 200

Accessory for
Drill motors

WATER TANKS WT2GO

Water pressure, min
0.5 bar

Water pressure, max

0.7 bar

Water tank capacity

14 l

Hose length

3 m

SLURRY AND WET VACUUMS

W 250 P

Power source

Corded

Phases

1 ph

Air requirement

160 m³/h

Rated input power

1.55 kW

ATTACHMENTS Slurry rings WSR

6 variants

Accessory for
Dust collectors, Drill motors

EXTENSION DRILL BITS Extension drill bit for 1 1/4" F bits



EXTENSION DRILL BITS Extension drill bit for 1 1/4" F bits



EXTENSION DRILL BITS

Extension drill bit for 1 1/4" F bits



ADAPTER DRILL BITS

Adapter drill bit for pixie bits



ADAPTER DRILL BITS

Adapter drill bit for 1/2" G M Bits



ANCHORS

Anchoring systems

Accessory for
Drill stands, Drill motors w...



ANCHORS

Anchoring systems

Accessory for
Drill stands, Drill motors w...



ANCHORS

Anchoring kit

Accessory for
Drill stands



ANCHORS

Anchors

Accessory for
Drill stands, Drill motors w...



DIAMOND CORE DRILL BITS

Drill snap



DIAMOND CORE DRILL BITS

Drill snap



SLURRY COLLECTORS

Dust extraction adapter



WATER HOSES

Washer quick release



WRENCHES

Drill motor keys

Accessory for
Drill motors