

Husqvarna FS 524



**ENGINE POWER (AS RATED BY THE BLADE DIAMETER, MAX
ENGINE MANUFACTURER)**

15.5 kW

600 mm

CUTTING DEPTH, MAX

247 mm

FLOOR SAW FS 524 21 hp | 600mm | CE | Honda | w/tank

Art nr: 967 04 61-02

PRODUCT DESCRIPTION

Our convenient FS 524 is a powerful, yet compact, self-propelled petrol floor saw ideal for asphalt and concrete cutting. Suitable for small to medium-sized service and repair jobs, up to 241 mm cutting depth. The optimal power transmission makes it ideal for more demanding jobs, despite its compact size. User-friendly and developed with a clear focus on your comfort.

ALL SPECIFICATIONS FS 524		FS 524 21 HP 600MM CE HONDA W/TANK 967 04 61-02	
ENGINE			
Motor/engine manufacturer		Honda	
Engine Power (As rated by the engine manufacturer)		15.5 kW	
Engine cooling		Air	
Fuel tank volume		8.33 l	
Number of strokes		4-stroke engine	
Cylinders		2	
Power source		Petrol	
CUTTING EQUIPMENT			
Cutting depth, max		247 mm	
Blade diameter, max		600 mm	
Arbor diameter		25.4 mm	
Blade depth control		Hand wheel	
TRANSMISSION			
Transmission speed forward		24.38 m/min	
DIMENSIONS			
Product size length		1,750 mm	
Product size width		646 mm	
Product size height		1,200 mm	
Weight (complete product w/o side packed articles)		239 kg	

DIAMOND TOOLS

GOLD



POWER CUTTER
BLADES

**ELITE-CUT
S35 EXO-
GRIT™**

4 variants

Diameter mm

300 / 350 / 400 mm

Segment height mm

15 mm

Arbor diameter

20 mm / 25.4/20 mm

GOLD



POWER CUTTER
BLADES

**ELITE-CUT
S45 EXO-
GRIT™**

4 variants

Diameter mm

300 / 350 / 400 mm

Segment height mm

15 mm

Arbor diameter

20 mm / 25.4/20 mm

GOLD



POWER CUTTER
BLADES

**ELITE-CUT
S65 EXO-
GRIT™**

5 variants

Diameter mm

300 / 350 / 400 mm

Segment height mm

15 mm

Arbor diameter

20 mm / 25.4/20 mm

GOLD

NEW



FLOOR SAW
BLADES

**ELITE-CUT
S85**

3 variants

Diameter mm

450 / 500 / 600 mm

Segment height mm

12 mm

Arbor diameter

25.4 mm

× SPAREPARTS



WATER TANKS

Water tank kit