

BATTERY POWERED PRODUCTS

Husqvarna K 535i

**CUTTING DEPTH, MAX**

76 mm

BLADE DIAMETER, MAX

230 mm

**WEIGHT (COMPLETE PRODUCT
W/O SIDE PACKED ARTICLES)**

3.5 kg

POWER CUTTER K 535i 36 V | 9" RoW

Art nr: 967 79 59-01

PRODUCT DESCRIPTION

The Husqvarna K 535i is a lightweight battery power cutter with low vibrations and user-friendly ergonomics. The excellent power-to-weight ratio makes it a versatile addition for lighter land or hardscaping jobs and perfect for quick and efficient cuts. Suitable for concrete garden plates, granite, roof and floor tiles. K 535i is adaptable for wet and dry cutting. Fits with Husqvarna BLi200/300 batteries.

ONE BATTERY SYSTEM

You can easily move the battery from one product...



LIGHTWEIGHT MANEUVERABILITY

The slim design and low weight makes it easy to...



SMART BATTERY PLACEMENT

The side-fed battery placement maximises...



INTUITIVE KEYPAD

For perfect control, the intuitive keypad is...

EFFICIENT BRUSHLESS MOTOR

Our in-house developed, advanced brushless...

PERFECT BALANCE

The centered placement of the blade provides...



ERGONOMIC HANDLES

The handles are specially developed to be...

ROPE EYELET

A foldable rope eyelet integrated in ground...

ELECTRIC BLADE BRAKE

For increased safety and ease of use, the blade wi...



ALL SPECIFICATIONS

K 535i

K 535i 36 V | 9" ROW

967 79 59-01

MOTOR

Power source

Battery

EQUIPMENT

Cutting depth, max

76 mm

Blade diameter, max

230 mm

Arbor diameter

22.23 mm

Blade thickness, max

3 mm

Peripheral speed, max

70 m/s

BATTERY

Battery eco system

BLi-X

SPECIFICATIONS

Water connector

Gardena Male

DIMENSIONS

Product size width

220 mm

Product size height

310 mm

Product size length

560 mm

Weight (complete product w/o side packed articles)

3.5 kg

SOUND AND NOISE

Sound power level, measured

111.5 dB(A)

Sound pressure level at operators ear

100.5 dB(A)

VIBRATIONS

Vibrations left/front handle

2.1 m/s²

Vibrations right/rear handle

2.5 m/s²

DIAMOND TOOLS

GOLD



POWER CUTTER
BLADES
ELITE-CUT
S35S BATTERY

Diameter mm
230 mm
Segment height mm
12 mm
Arbor diameter
22.23 mm

BRONZE



POWER CUTTER
BLADES
TACTI-CUT
S35S BATTERY

Diameter mm
230 mm
Segment height mm
10 mm
Arbor diameter
22.23 mm



POWER CUTTER
BLADES
VARI-DISC
STEEL

Diameter mm
230 mm
Arbor diameter
22.23 mm



ANGLE GRINDER
BLADES AND CUP
WHEELS
VARI-CUT
FR3

Diameter mm
230 mm
Arbor diameter
22.23 mm

RELATED PRODUCTS AND ACCESSORIES



BATTERY POWERED PRODUCTS

WT 15i

3 variants

Battery eco system

BLi-X

Water pressure, max

0.9 bar

Water tank capacity

15 l

Hose length

3 m



WATER TANKS

WT 10MP

Water tank capacity

10 l

Weight (complete product ...

2.35 kg



BATTERY POWERED PRODUCTS

WL 8i

Battery eco system

BLi-X

Weight (complete product ...

3.62 kg



BATTERY POWERED PRODUCTS

DE 110i H

Battery eco system

BLi-X

Weight (complete product ...

26 kg

Rated input power

0.9 kW



JACKETS

Jacket PE10J

SmartGuard™

5 variants



HELMETS

Helmet PE10H

SmartGuard™

2 variants



BLI-X CHARGERS

Charger

QC80F

Accessory for

Battery products



BLI-X CHARGERS

Charger

QC330

Accessory for

Battery products



BLI-X CHARGERS



WATER TANKS



BLI-X BATTERIES



TRANSPORT BOXES

40-C80
charging rail
station

Accessory for
Battery products



TRANSPORT BOXES
Battery
transportation
box

Accessory for
Battery products

WT2GO

Water pressure, min
0.5 bar
Water pressure, max
0.7 bar
Water tank capacity
14 l
Hose length
3 m



ATTACHMENTS
Vac
attachment

Accessory for
Power cutters

Battery
BLi200

Battery type
Li-Ion
Battery voltage
36 V
Battery capacity
5 Ah
Battery energy
180 Wh

Transport
box

Accessory for
Power cutters