

POWER PACKS

Husqvarna PP 455 E

**HYDRAULIC OIL FLOW**

65 l/min

HYDRAULIC PRESSURE, MAX

230 bar

RATED CURRENT

63 A

OUTPUT POWER (AS RATED BY THE ENGINE/MOTOR MANUFACTURER)

25 kW

PRODUCT VARIANT

POWER PACK PP 455 E 400 V | 50 Hz | 5-pin | w. Radio

Art nr: 965 15 66-04

The electrically powered hydraulic unit PP 455 E is specially developed for the CS 2512 wire saw. It's equipped with a water-cooled electric motor providing more efficient sawing, enabling you to work at full capacity for the entire saw process. The electric motor is mounted beneath the tank, providing a low centre of gravity and good stability.

MAXIMUM MACHINE LIFE AND POWER

Hydraulic oil is cooled by a large, 15-litres oil...

**ADJUSTABLE HANDLES**

The handles are vertically adjustable and the powe...

**EASY HOSE CONNECTION**

Pressure compensation system makes it easy to...



ALL SPECIFICATIONS

PP 455 E

PP 455 E 400V | 50HZ | 4-PIN | W. RADIO

965 15 66-02

PP 455 E 400 V | 50 HZ | 5-PIN | W. RADIO

965 15 66-04

ENGINE

Output power (As rated by the engine/motor manufacturer)

25 kW

25 kW

Rated current

63 A

63 A

Voltage

400 V

400 V

Frequency

50 Hz

50 Hz

Power source

Corded

Corded

MOTOR

Voltage

400 V

400 V

HYDRAULICS

Oil capacity

16 l

16 l

Hydraulic oil flow

65 l/min

65 l/min

Hydraulic pressure, max

230 bar

230 bar

OTHER

Pins

4

5

DIMENSIONS

Weight

139 kg

139 kg

RELATED PRODUCTS AND ACCESSORIES



ATTACHMENTS
External cooler

Accessory for
Power packs



HOSES
Hose set incl. couplings, 8 m

Accessory for
Power packs

× **SPAREPARTS**



HOSES
Hose set incl. couplings, 8 m

Accessory for
Power packs