

MARKET LAUNCH



pulsFOG TurboMAX 36 V Series Battery powered

Supported by  **CAS** CORDLESS ALLIANCE SYSTEM

pulsFOG®

The first battery-powered pulsFOG cold fogging line
will be launched in the first half of 2024

**„Turbo-MAX-CPT 36 V“
&
„Turbo-MAX-STD 36 V“**

Our new Turbo-MAX 36 V series stands out from other
products in several ways:

Two 18 V CAS (Cordless Alliance System) power tool batteries
allow 30 minutes (max.) of highly efficient fogging application.

With high capacity CAS battery packs (10 Ah)
the runtime increases up to 1 hour.

A powerful 500 W motor impresses with its fog throwing range of up to 20 m
3 preset power levels help the user to set the correct strength of
air flow.



2 x 18 V battery
5,2 Ah (CAS)



easy to attach/detach
click system

pulsFOG Turbo-MAX-CPT 36 V
Art. Nr. K00043.



**The pulsFOG Turbo-MAX-CPT 36 V is an ideal tool
for space fogging treatments.
It provides high mobility due to its light weight and is
very simple to operate**

pulsFOG Turbo-MAX-STD 36 V
Art. Nr. K00044.



The pulsFOG Turbo-MAX-STD 36 V is an ideal tool for direct fogging treatments (e.g. disinfection). It provides high mobility due to its light weight and is very simple to operate

Technical data

Fogging solution tank	5 ltr.
Maximum motor power	500 W
Empty weight incl. (2 x CAS Li-Power 5,2 Ah)	6,6 kg (Turbo-MAX-CPT) 7,3 kg (Turbo-MAX-STD)
Maximum flow rate	500 ml/min
Run-time per battery charge (2 x CAS Li-Power 5,2 Ah)	30 minutes (max.)
Maximum throwing range	20 m

pulsFOG Turbo-MAX 36 V units will be supplied with:



2 x 18 V 5,2 Ah CAS battery



CAS double charging device
(optional)

Application areas for pulsFOG machines



Pest control/public health



Animal health




Hygiene control



Plant protection



Stock protection



Special effects



MADE
IN
GERMANY



pulsFOG®

pulsFOG Dr. Stahl & Sohn GmbH// Abigstr. 8, 88662 Überlingen// Germany
Tel.: +49 7551 9261-0 // www.pulsfog.com

